

MATERIAL SAFETY DATA SHEET

Product Name (As used on label & list): PERFORM-ALL		Description: Neutral Liquid Carpet/Fabric Cleaner		
HMIS RATING		HAZARD RATINGS		
Health:	1	0 =	Insignificant	
Flammability:	0	1 =	Slight	
Reactivity:	0	2 =	Moderate	
Pers. Prot.:	B	3 =	High	
		4 =	Extreme	
SECTION I				
Manufacturer's Name: CFR, A Tacony Company		Emergency Telephone Number: 1-800-270-5201		
Address (number, street, city, state, zip code): 3101 Wichita Court Fort Worth TX 76140-1710		Telephone Number for information: 800-880-2913 ext. 150 or Website www.cfrcorp.com		
		DATE PREPARED/Revised: May 12, 2006		
SECTION II				
Hazardous Ingredients - Identity Information				
The criteria for listing components in this section is as follows: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater; Non-hazardous components are not listed. This is not a complete composition disclosure.				
Hazardous Components (specific chemical identity - common name)	CAS NUMBER	OSHA PEL	ACGIH TLV	% (optional)
Sodium Dodecyl Benzene Sulfonate	25155-30-0			< 25%
Isopropyl Alcohol	67-63-0			< 5%
Dipropylene glycol monomethyl ether	3459-94-8			< 10%
SECTION III				
Physical/Chemical characteristics				
Boiling Point: > 100° C	Vapor Pressure (mm Hg.): NA	Vapor Density (AIR =1): NA		
Melting Point: NA	Specific Gravity (H20=1):	Evaporation Rate (butyl Acetate=1): < 1		
Solubility in Water: Dispersible				
Appearance & Odor: Clear Amber liquid, slight organic odor				
SECTION IV				
Fire and Explosion Hazard Data				
Flash Point (Method used): 62°C (145°F) C.C.		Flammable Limits: NA		
LEL:	UEL:			
Extinguishing Media: Carbon Dioxide, dry chemical powder, water spray				
Special Fire Fighting Procedures: None				
Unusual Fire and Explosion Hazards: None				
SECTION V				
Reactivity Data				
Stability: Stable		Unstable/Stable:		
Conditions to Avoid:				
Incompatibility (Materials to avoid): Oxidizing materials				
Hazardous Decomposition or By-product: Oxides of Carbon, Sulfur, possibly Hydrogen Sulfide				
Hazardous Polymerization:		May Occur:	Will not occur: X	

PERFORM-ALL Continued			
SECTION VI Health Hazard Data			
Route(s) of Entry: Inhalation?: Low	Skin?: X	Ingestion?: X	Eyes?: X
Health Hazards (Acute and Chronic): Skin and eye irritation may occur. Ingestion may cause nausea, vomiting and diarrhea. Inhalation may cause nausea, dizziness.			
Carcinogenicity:	NTP?: No	LARC Monographs?: No	OSHA Regulated?: No
Signs and Symptoms of Exposure: Dizziness, nausea, skin defatting/Dermatitis, vomiting, diarrhea			
Medical Condition Generally Aggravated by Exposure: Dermatitis			
Emergency and First Aid Procedures: Inhalation: Remove to fresh air Skin & Eye Contact: Flush with cool running water for at least 15 minutes, seek medical attention if irritation persists. Ingestion: Do not induce vomiting. Get medical attention.			
SECTION VII Precautions for Safe Handling and Use			
Steps to be taken in case material is released or spilled: Mop up or absorb on inert material for small spills. Large spills should be contained and placed in appropriate container for disposal.			
Waste Disposal Method: Dispose of absorbed material at approved disposal site or facility.			
Precautions to Be Taken in Handling and Storing: Store away from heat and open flames			
Other Precautions: None			
SECTION VIII Control Measures			
Respiratory Protection (Specify Type): None required with adequate ventilation			
Ventilation: Yes	Local Exhaust: Yes	Special: Forced Exhaust	
Mechanical (General):		Other:	
Protective Gloves: Rubber	Eye Protection: Goggles		
Other Protective Clothing or Equipment: None			
Work/Hygienic Practices: Wash hands and face before eating, drinking or smoking after handling material.			

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein, Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.